
HellermannTyton

Specification Sheet

Part Number: 596-00627



Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model.

The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.



Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 1 across, VL, White, 1000/roll

Article Number 596-00627

Type TAG9T1-100B

Color White (WH)

Quantity Per roll

Product Description

Labels are made with various high performance materials including polyester, metalized polyester, clear polyester, cloth, polyimide and the Durattach label stock. The construction includes an aggressive acrylic adhesive and abrasion and chemical resistant top coatings that are made to accept ink from a thermal transfer printer. The product is supplied on rolls on a 3 cardboard core."

Short Description	Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 1 across, VL, White, 1000/roll
Global Part Name	TAG9T1-100B-100B-WH
Width W (Imperial)	1.0
Width W (Metric)	25.4
Bundle Diameter Min (Imperial)	0.21
Bundle Diameter Min (Metric)	5.5
Bundle Diameter Max (Imperial)	0.47
Bundle Diameter Max (Metric)	11.94
Thickness T (Metric)	25
Width of Liner (Metric)	28.57
Width of Liner (Imperial)	1.125
Material	Type 100B (100B)
Material Shortcut	100B

Adhesive Acrylic

Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +194°F (-40°C to +90°C)
Operating Temperature	-40°F to +194°F (-40°C to +90°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	UL-Recognized
UL Recognized (US)	Yes
UL Recognized (US and Canada)	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions